

~~SUPPLEMENT~~

REPAIRS

Ref. No.	Part No.	Nomenclature	MR or SR	No. of	Matl. Spec.	Cl. of St.
		<u>FUSELAGE</u>				
		<u>Material required for fabric covering</u>				
2475	KA12405	<u>FASTENER</u> , zip "L" shaped, 9" (fin)		2	-	C
2474	KA12419	<u>FASTENER</u> , zip "L" shaped, 15" (stbd. rear fuselage)		1	-	C
2333	KA11690	<u>FASTENER</u> , zip, "V" shaped (stbd. rear fuselage)		1	-	C
2334	KA11613	<u>FASTENER</u> , zip, "V" shaped (port rear fuselage)		1	-	C
2047	JA4254	<u>PATCH</u> , inspection, mod. and serial plates (fin)		1	-	C
535	EA10870	<u>PATCH</u> , assy, rudder control cable (rear fuselage)		2	-	C
2335	G10898	<u>VENTILATOR</u> (rear fuselage)		1	-	C
		<u>Material required for frame repairs</u> (Make patches and shims from mild steel sheet Stores Ref. 30A/546)				
	R100/26	<u>PATCH</u> , 18 S.W.G. x 1 15/16" x 4" (for 1/2" O/D tubes)		-	S3	-
	R100/27	<u>PATCH</u> , 18 S.W.G. x 2 1/8" x 4" (for 3/8" O/D tubes)		-	S3	-
	R100/6	<u>PATCH</u> , 18 S.W.G. x 2 5/16" x 4" (for 3/4" O/D tubes)		-	S3	-
	R100/7	<u>PATCH</u> , 18 S.W.G. x 2 5/16" x 6" (for 3/4" O/D tubes)		-	S3	-
	R/100/10	<u>PATCH</u> , 18 S.W.G. x 2 1/2" x 4" (for 7/8" O/D tubes)		-	S3	-
	R100/11	<u>PATCH</u> , 18 S.W.G. x 2 1/2" x 6" (for 7/8" O/D tubes)		-	S3	-
	R/100/29	<u>PATCH</u> , 18 S.W.G. x 2 3/4" x 4" (for 1" O/D tubes)		-	S3	-
	R100/28	<u>PATCH</u> , 18 S.W.G. x 2 3/4" x 6" (for 1" O/D tubes)		-	S3	-
	R100/20	<u>PATCH</u> , 18 S.W.G. x 2 7/8" x 4" (for 1 1/8" O/D tubes)		-	S3	-
	R100/21	<u>PATCH</u> , 18 S.W.G. x 2 7/8" x 6" (for 1 1/8" O/D tubes)		-	S3	-
	R/100/31	<u>PATCH</u> , 18 S.W.G. x 3 1/16" x 4" (for 1 1/2" O/D tubes)		-	S3	-
	R100/30	<u>PATCH</u> , 18 S.W.G. x 3 1/16" x 6" (for 1 1/2" O/D tubes)		-	S3	-
	R100/33	<u>PATCH</u> , 18 S.W.G. x 3 19/32" x 4" (for 1 1/2" O/D tubes)		-	S3	-
	R100/32	<u>PATCH</u> , 18 S.W.G. x 3 19/32" x 6" (for 1 1/2" O/D tubes)		-	S3	-
	R101/1	<u>SHIM</u> , 18 S.W.G. x .45" x 4" (use with patches Part. No.s. R100/6,/10,/20,/26,/27,/29,/31 and 33.)		-	S3	-
	R101/2	<u>SHIM</u> , 18 S.W.G. x .45" x 6" (use with patches Part. Nos. R/100/7,/11,/21,/28,/30 and /32)		-	S3	-
	R106/1	<u>SLEEVE</u> , 3/8" O/D x 17 S.W.G. x 3.5" (for 1/2" O/D tubes) (Make from steel tubing. Stores Ref. 30A/1765)		-	T45	LM
	R/106/2	<u>SLEEVE</u> , 3/4" O/D x 17 S.W.G. x 3.5" (for 3/8" O/D tubes) (Make from steel tubing, Stores Ref. 30A/1768)		-	T45	LM

REPAIRS

122

Page 100

Ref. No.	Part No.	Nomenclature	LR or SR	No. off	Matl. Spec.	Cl. of St.
	R106/3	SLEEVE, $\frac{7}{8}$ " O/D x 17 S.W.G. x 3.25" (for $\frac{3}{4}$ " O/D tubes) (Make from steel tubing, Stores Ref. 30A/1771)		-	T45	LM
	R106/4	SLEEVE, 1" O/D x 17 S.W.G. x 3.25" (for $\frac{7}{8}$ " O/D tubes) (Make from steel tubing, Stores Ref. 30A/1774)		-	T45	LM
	R106/5	SLEEVE, $1\frac{1}{8}$ " O/D x 17 S.W.G. x 4" (for 1" O/D tubes) (Make from steel tubing, Stores Ref. 30A/1777)		-	T45	LM
	R106/6	SLEEVE, $1\frac{1}{4}$ " O/D x 17 S.W.G. x 6" (for $1\frac{1}{8}$ " O/D tubes) (Make from steel tubing, Stores Ref. 30A/1780)		-	T45	LM
	R106/7	SLEEVE, $1\frac{3}{8}$ " O/D x 17 S.W.G. x 6" (for $1\frac{1}{4}$ " O/D tubes) (make from steel tubing, Stores Ref. 30A/1783)		-	T45	LM
	R106/9	SLEEVE, $1\frac{5}{8}$ " O/D x 17 S.W.G. x 6" (for $1\frac{1}{2}$ " O/D tubes) (Make from steel tubing, Stores Ref. 30A/1789)		-	T45	LM
		<u>MAINPLANES</u>				
1591	EA10213	Material required for fabric covering <u>PASTERER</u> , zip, "V" shaped (at aileron controls)		3L/R	-	C
	J80389	REINFORCEMENT, inboard (ribs at aileron cut out)		1L/R	Plywood	-
	K80815	REINFORCEMENT, outboard (ribs at aileron cut out)		1L/R	Plywood	-
		Material required for frame repairs				
756 340	R104	<u>INSERT</u> , trailing edge repair		-	-	C
	ST100/7	<u>INSERT</u> , rib repair		-	-	C
	R105/26	RIB, replacement, long		3L/R	-	-
	R105/27	RIB, replacement, long, stbd.		1RH	-	-
	R105/28	RIB, replacement, long, port		1LH	-	-
	R105/14	RIB, replacement, short		3L/R	-	-
	R105/20	RIB, replacement, short		1L/R	-	-
	R105/21	RIB, replacement, short		1L/R	-	-
341 1937	ST100/8	<u>STIFFENER</u> , rib repair		-	-	C
	R103	<u>STRIP</u> , capping, replacement rib		-	-	C
	R112	<u>WASHER</u> , lift strut fitting (rear spar repair) (Make from mild steel sheet, Stores Ref. 30A/544)		-	S3	LM
		Material required for aileron repair				
	R114/2	<u>BRACKET</u> (for replacement rib R113/1)		-	L3, L38 or DTD390	-
	R114/1	<u>BRACKET</u> (for replacement ribs R/113/2 ,/3,/4)		-	L3, L38 or DTD390	-
756 2047	R104	<u>INSERT</u> , trailing edge repair		-	-	C
	JA4254	<u>PATCH</u> , inspection		1	-	C
	R113/1	RIB, replacement		2L/R	-	-
	R113/3	RIB, replacement, port		1LH	-	-
	R113/2	RIB, replacement, stbd.		1RH	-	-
	R113/4	RIB, replacement		8L/R	-	-
		Material required for flap repair				
	R106/8	SLEEVE, torque shaft repair, $\frac{7}{8}$ " O/D x 17 S.W.G. x 4" (Make from steel tubing, Stores Ref. 30A/1771)		-	T45	LM
2047	JA4254	<u>PATCH</u> , inspection (TAIL UNIT)		-	-	C

S E R V I C E S

FUEL - AUXILIARY - FIXED PARTS (S.O.O. Mod. 218)

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. o. St. M.R.
		(N.B. This installation may include either an Aircraftings cock or a Vickers cock; spares NOT common to both versions are annotated accordingly.)			
	K 30274	Block, support, filler neck	1	DTD36B	✓
	K 30302	Bracket, filler neck support block	1	S3 20s.w.g.	✓
	K 30331	Bracket, support, 3 way fuel cock (Aircraftings cock)	1	DTD124A	✓
	K 30104	Clip, fuel pipe ( <del>make from Cleat, Stores Ref. 5K/2377</del> ) SEE P.P. F	1	-	-
	K 30472	Clip, fuel pipe (Aircraftings cock)	1	S3 18s.w.g.	✓
	K 30473	Clip (1 off with Aircraftings cock, 2 off with Vickers cock)	1 or 2	S3	✓
	F 6166	Clip, support pipe SEE PAGE F	1	-	C
2577	Aircraftings 5610/U	Cock, fuel, three way or:-	1	-	C
	KA30627	COCK, ASSY., FUEL, THREE WAY GROUP Spares for:-	1	-	C
272/1958	Tickers A 406	Cock, fuel, three way	1	-	✓
	K 30628	Support	1	-	✓
2582	K 30309	Connection, banjo, (at Aircraftings cock)	1	-	C
	KA30334	PIPE, FUEL, GROUP, (door Tee-piece to Aircraftings cock)	1	-	✓
	KA30634	PIPE, FUEL, GROUP (door Tee-piece to Vickers cock)	1	-	✓
	KA30335	PIPE, FUEL, GROUP (Aircraftings cock to fuel cock on firewall)	1	-	✓
1801	G 3618	Pipe, fuel, flexible (Vickers cock to union)	1	-	C
	KA30633	PIPE, FUEL, GROUP (union to cock on firewall) (Vickers cock)	1	-	✓
	K 12779	Plate, mounting, (filler neck support block)	1	S3 18s.w.g.	-
2580	K 30310	Stud, banjo (at Aircraftings cock)	1	-	C
2581	K 30308	Washer (at Aircraftings cock)	3	-	C
1809	F 6166				C

SERVICES

124

Page ~~122~~

FUEL - AUXILIARY - FIXED PARTS (S.O.O. Mod. 218)

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.	
		THE FOLLOWING PARTS ARE REQUIRED WHEN TANK IS NOT FITTED:-				
	K 30281	Patch, (fillerneck aperture)	1	Leather	-	
	K 30280	Plate, blanking (fillerneck aperture)	2	L16 22s.w.g.	-	
	Z 72339	Plate, blanking (drain aperture)	1	L16 16s.w.g.	-	

SERVICES

FUEL - AUXILIARY - FIXED PARTS (S.O.O. Mod. 218)

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.
<u>SUMMARY OF STOCK ITEMS USED ON AUXILIARY TANK ASSEMBLY - FIXED PARTS</u>					
28D/7572	A15Y/2B	Bolt	3	-	C
28D/7238	A15Y/15C	Bolt	2	-	C
25M/10287	AGS2001/B1	Nut	6	-	C
28S/2680	AGS245/16	Screw	3	-	C
28S/2863	AGS245/22	Screw	1	-	C
28S/2431	AGS251/21	Screw	10	-	C
28S/2471	AGS251/37	Screw	4	-	C
28S/2515	AGS251/41	Screw	3	-	C
28S/2295	AGS252/20	Screw	8	-	C
28S/2289	AGS252/36	Screw	10	-	C
28S/2650	AGS253/37	Screw	2	-	C
287/3781	AGS627/C	Union D/E	1	-	C
287/3070	AGS160/B	Washer	5	-	C
<u>REQUIRED FOR BLANKING WHEN TANK IS NOT FITTED.</u>					
28P/9731	AGS1140/C	Plug, nipple	1	-	C
28P/12431	SP9/C6	Pin, cotter, 1/16" x 3/4" long	1	-	C
28P/2643	AGS253/36	Screw	2	-	C
28P/5604	AGS904/C	Sleeve, outer	1	-	C

SERVICES

124B

Page ~~124~~

FUEL - AUXILIARY - FIXED PARTS (S.O.O. Mod. 218)

Ref.No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.

S E R V I C E S

FUEL - AUXILIARY - REMOVABLE PARTS (S.O.O. Mod. 219)

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.
		(N.B. The fixed parts may include either an Aircraftings cock or a Vickers cock; spares NOT common to both versions are annotated accordingly.)			
	K 30273/L	Angle, tank support	3	DTD 390	-
	K 30273/R	Angle, tank support	2	16s.w.g. DTD 390	-
2834	K 30279	Bar, anchor, tank strap	2	16s.w.g. S1	C
	K 30630	Bracket, mounting, non return valve (Vickers cock) (make from screw Stores Ref. 28S/2844 and steel, sheet, Stores Ref. 30A/544)	1	-	EM
2575	K 30278	Bush, rubber (tank to spigot)	1	-	C
2255	K 30105	Clip, support, non return valve (Vickers cock) <b>SEE PAGE G</b>	2	DTD 390	-
1809	F 6166	Clip, support pipe <b>SEE PAGE F</b>	1	-	C
-	K 30104	Clip, support pipe ( <del>make from cleat Stores Ref. 5K/2377</del> ) <b>SEE PP. F</b>	1	-	C
2576	EA3138	Filter, tank outlet	1	-	C
	KA30333	PIPE, FUEL, GROUP (tank to Aircraftings cock)	1	-	A
	KA30632	PIPE, FUEL, GROUP (tank to non return valve) (Vickers cock)	1	-	A
	KA30635	PIPE, FUEL, GROUP (non return valve to Vickers cock)	1	-	A
	K 30284	Plate, strap to tank support	8	DTD 390 16s.w.g.	-
2835	KA30283	STRAP, TANK, GROUP Spares for:-	2	-	C
2573	K 30282	Bolt	1	-	C
	J 3822	Plate, washer	1	S3	-
	K 30300	Strap	1	18s.w.g. S3	-
	K 30301	Strip, 1/16" thick	1	20s.w.g. Felt	-
2836	KA30271	Support, tank	2	-	C
	K 30083	Tube, distance, (for non return valve (Vickers cock)	2	L1	-
2474 27P/2020	Aircraftings 6150/C	Valve, non return (Vickers cock)	1	-	A
2274	K 30083				C

S E R V I C E S

FUEL - AUXILIARY - REMOVABLE PARTS (S.O.O. Mod. 219)

Ref.No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.
<u>SUMMARY OF STOCK ITEMS REQUIRED ON AUXILIARY TANK ASSEMBLY - REMOVABLE PARTS</u>					
28D/7572	A15Y/2B	Bolt	1	-	C
28D/7281	A15Y/11C	Bolt	22	-	C
28D/11135	A15Z/16C	Bolt	16	-	C
5F/2377	AGS1541/C	Cleat	2	-	C
28M/5316	A16Y/CP	Nut	22	-	C
28L/776	A16Y/ET	Nut	2	-	C
28M/10287	AGS2001/B1	Nut	1	-	C
28M/10288	AGS2001/C1	Nut	16	-	C
28M/10328	AGS2002/C1	Nut	2	-	C
28P/1070	SP4Y/P18	Pin	2	-	C
28P/12431	SP9/C6	Pin, cotter, 1/16" x 3/4" long	4	-	C
28P/12262	SP9/E6	Pin, cotter, 3/32" x 3/4" long	2	-	C
28S/2295	AGS252/20	Screw	2	-	C
28S/2289	AGS252/36	Screw	4	-	C
28M/3070	AGS160/B	Washer	1	-	C
28M/3071	AGS160/C	Washer	38	-	C
28M/3073	AGS160/E	Washer	4	-	C
28M/3081	AGS161/C	Washer	16	-	C
28M/9592	AGS567/C	Washer, fibre	2	-	C
28V/3781	AGS627/C	Union D/E	1	-	C



REF. No.	PART No.	DESCRIPTION	No. OFF	MAT- SPEC.	CL. OF ST. M.R.
2823	K 31074	Bracket, mounting, fuel filter (Mod. 294)	1	-	C
	K 11559	Clip (fuel pipes) (See Page F)	5	-	LM
	K 30104	Clip (fuel pipes to front door post and bulkhead frame) (See Page F)	11	-	LM
2255	K 30105	Clip (non return valve) (See Page G)	4	-	C
	K 13172	Clip (fuel pipe, Ref. 2419) (pre Mod. 294)	1	-	-
	K 72195	Clip (used in conjunction with clip K 13172)(pre Mod. 294) (See Page F)	1	-	LM
27F/450	Vickers A 174	Cock (fuel gauge feed pipe) (pre Mod. 265)	2	-	A
27F/454	Vickers A 250	Cock (at tank)	4	-	A
1152	Enots 55117 AU	Cock (at firewall)	1	-	B
1949	Enots H 23324	FILTER, FUEL, GROUP (Mod. 294)	1	-	B
		Consisting of:-			
	H 23324-1	Body, filter	1	-	-
	H 23324-10	Elbow, inlet and outlet	2	-	-
	H 23324-4	Element, filter	1	-	-
	H 23324-5	Screw, thumb	1	-	-
	H 23324-2	Stirrup	1	-	-
	H 23324-3	Sump	1	-	-
3067	H 23324-6	Washer, joint (between body & sump)	2	Langite	C
3069	H 23324-7	Washer, joint (between body & elbows)	2	Fibre	C
2256	KA 3806/L	GAUGE, FUEL CONTENTS, PORT, GROUP (pre Mod. 265)	1	-	M/A
2257	KA 3806/R	GAUGE, FUEL CONTENTS, STBD., GROUP (pre Mod. 265)	1	-	M/A
		Spares for:-			
2277	K 3944	Spring	1	-	C
2278	K 3784	Tube, glass	1	-	C
2279	K 3943	Washer, sealing, bottom	1	-	C
2280	K 3801	Washer, sealing, top	1	-	C
	J 11215	Patch (for pipes at wing root)	8	311/NA	-
2268	KA 3774/L	Pipe, breather, fuel gauge, port (pre Mod. 265)	1	-	C
2269	KA 3774/R	Pipe, breather, fuel gauge, stbd. (pre Mod. 265)	1	-	C

## SERVICES

FUEL - MAIN

PAGE 128

PAGE

REF. No.	PART No.	DESCRIPTION	No. OFF	MATL SPEC.	CL. OF
					ST. M.R.
2266	KA 30099/L	Pipe, fuel (port fuel gauge to cock) (pre Mod. 265)	1	-	C
2267	KA 30099/R	Pipe, fuel (stbd. fuel gauge to cock) (pre Mod. 265)	1	-	C
2260	KA 30088/L	Pipe, fuel (running down port front door post)	1	-	C
2261	KA 30088/R	Pipe, fuel (running down stbd. front door post)(pre Mod. 303)	1	-	C
2930	QA 31153	Pipe, fuel (running down stbd. front door post)(Mod. 303)	1	-	C
2262	KA 30087/L	Pipe, fuel (running down port rear door post)	1	-	C
2263	KA 30087/R	Pipe, fuel (running down stbd. rear door post)(pre Mod. 303)	1	-	C
2929	QA 31161	Pipe, fuel (running down stbd. rear door post)(Mod. 303)	1	-	C
2264	KA 30090	Pipe, fuel (port T-piece to non- return valve)	1	-	C
2265	KA 30059	Pipe, fuel (stbd. T-piece to non- return valve)(pre Mod. 303)	1	-	C
2931	QA 31165	Pipe, fuel (stbd. T-piece to non- return valve)(Mod. 303)	1	-	C
2259	KA 30092	Pipe, fuel (port non-return valve to front T-piece)	1	-	C
2258	KA 30091	Pipe, fuel (stbd. non-return valve to front T-piece)	1	-	C
2270	K 30016	Pipe, fuel, flexible (tank to front union)	2	-	C
2271	K 30017	Pipe, fuel, flexible (tank to rear union)(pre Mod. 265)	2	-	C
2794	K 30963	Pipe, fuel, flexible (tank to rear union)(Mod. 265)	2	-	C
1601	G 3616	Pipe, fuel, flexible (T-piece to cock at firewall)	1	-	C
2419	KA 30191	Pipe, fuel, flexible (firewall to engine pumps)(pre Mod. 294)	1	-	C
2522	KA 30972	Pipe, fuel, flexible (firewall to filter and filter to engine pumps)(Mod. 294)	2	-	C
1166	EA 3029	Pipe, fuel pumps drain	1	T9	C
2192	K 30102	Plate (cock to firewall, front)	1	-	M/C
2193	K 30101	Plate (cock to firewall, rear)	1	-	M/C
2195	K 30055	Spacer (cock to firewall)	4	-	C
2273	Rotherham Ltd. No. 3	Tee piece (at bottom of door frames and at firewall)	3	-	M/C
2274	K 30053	Tube, distance (non return valve clips)	4	-	C
2020	Saunders 6150/C	Valve, non return	2	-	A

S E R V I C E S

FUEL - MAIN

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of St. M.R.
<u>SUMMARY OF STOCK ITEMS USED ON FUEL SYSTEM.</u>					
28D/7277	A15Y/2C	Bolt (Mod. 294)	2	-	C
28D/7280	A15Y/9C	Bolt (Mod. 294)	2	-	C
28D/7283	A15Y/13C	Bolt	4	-	C
5K/2377	AGS1541/C	Cleat	10	-	C
28E/10154	AGS605 Lk. 00	Clip, hose	4	-	C
32C/12		Hose, rubber	4"	-	C
28L/672	AGS207/A	Nut (pre Mod. 265)	4	-	C
28L/10287	AGS2001/B1	Nut	10	-	C
28L/10288	AGS2001/C1	Nut	4	-	C
28L/5316	A16Y/CP	Nut	12	-	C
28S/2862	AGS245/13	Screw	12	-	C
28S/2857	AGS245/21	Screw	9	-	C
28L/10110	AGS105/C	Union	2	-	C
28L/10502	AGS1112/C	Union	4	-	C
28T/3070	AGS160/B	Washer	10	-	C
28T/3071	AGS160/C	Washer	6	-	C
28T/9592	AGS567/C	Washer	6	-	C
28T/3098	AGS162/C	Washer	14	-	C
28S/2288	AGS252/19	Woodscrew	10	-	C

SERVICES

FUEL - MAIN

Ref.No.	Part No.	Description	No. off	Matl. Spec.	Cl.of St. M.R.	

## SERVICES

OIL

PAGE

PAGE 131

REF. No.	PART No.	DESCRIPTION	No. OFF	MAT <sup>L</sup> SPEC.	CL. OF ST. M.R.
	K 30316	Clip (thermometer pocket to support bracket) (Mod.225 in pre Mod. 267 A/C) (See Page G)	1	S3	LM
27B/2609	Delaney Gallay Ltd. E 3253	Cooler, oil	1	-	A
2983	K 31163	Hose, flameproof, $\frac{3}{4}$ in. i/d x 4 in. long (engine to cooler - lower; and cooler to tank) (Mod. 268)	2	DAS 502/ 12/4	C
2982	K 31162	Hose, flameproof, $\frac{3}{4}$ in. i/d x 2 $\frac{1}{2}$ in. long (engine to cooler - upper) (Mod. 268)	1	DAS 502/ 12/2.5	C
2984	K 31164	Hose, flameproof, $\frac{3}{8}$ in. i/d x 3 in. long (feed to filter) (Mod. 268; pre Mod. 267)	2	DAS 502/ 10/3	C
3079	K 31749	Hose, flameproof, $\frac{3}{8}$ in. i/d x 8 $\frac{1}{4}$ in. long (feed to filter) (Mod. 267)	1	WH2/1	C
3081	K 31744	Packer, radiused (between thermometer pocket and firewall)	2	L65	C
2487	KA 30315 *	Pipe (thermometer pocket to feed pipe) (Alternative to Ref.No.2604) (Mod. 225 in pre Mod. 267 A/C)	1	-	C
2804	KA 31068	Pipe (thermometer pocket to feed pipe) (Alternative to Ref.No.2487) (Mod. 225 in pre Mod. 267 A/C)	1	-	C
3078	KA 31740	Pipe (thermometer pocket to hose) (Mod. 267)	1	-	C
2423	K 30193	Pipe (feed to suction filter) (pre Mods. 225 and 267)	1	-	C
2484	K 30193 *	Pipe (feed to suction filter) (Alternative to Ref.No.2800) (Mod. 225 in pre Mod. 267 A/C)	1	-	C
2800	K 31064	Pipe (feed to suction filter) (Alternative to Ref.No.2484) (Mod. 255 in pre Mod.267 A/C)	1	-	C
2420	K 30174 *	Pipe (engine to cooler - upper) (Alternative to Ref.No.2799)	1	-	C
2799	K 31063	Pipe (engine to cooler - upper) (Alternative to Ref.No.2420)	1	-	C
2421	KA 30175 *	Pipe (engine to cooler - lower) (Alternative to Ref.No.2801)	1	-	C
2801	KA 31065	Pipe (engine to cooler - lower) (Alternative to Ref.No.2421)	1	-	C
2422	KA 30176 *	Pipe (cooler to tank) (Alternative to Ref.No.2802)	1	-	C
2802	KA 31066	Pipe (cooler to tank) (Alternative to Ref.No.2422)	1	-	C
2485	KA 30504	Pocket, oil thermometer (Mod.225 in pre Mod. 267 A/C)	1	-	C
2839	KA 30738	POCKET, OIL THERMOMETER, GROUP Spares for:- (Mod. 267)	1	-	C
	KA 31156	Nut, blanking (pre Mod. 225)	1	-	-
2427	KA 30166	Stay, oil cooler, front	1	-	C
2428	KA 30167	Stay, oil cooler, rear	1	-	C
3080	KA 31745	U-Clip (thermometer pocket to firewall)	2	-	C
	K 31743	Washer-plate (thermometer pocket to firewall; also used as shim under packer	Q.R	L72	-
2440F.	131/10	RESTRICTED			

## SERVICES

OIL

PAGE 132

PAGE

REF. No.	PART No.	DESCRIPTION	No. OFF	MATL. SPEC.	CL.OF ST.	M.R.
<u>SUMMARY OF STOCK ITEMS USED ON OIL SYSTEM</u>						
28D/12515	A25/10C	Bolt	2	-	C	
28E 8182	AGS 605/0	Clip (pre Mod. 268)	4	-	C	
28E 8183	AGS 605/1	Clip	8	-	C	
32C/409		Hose, $\frac{3}{8}$ " i/d (pre Mod. 268)	5"	DTD 625A	C	
32C/375		Hose, $\frac{3}{4}$ " i/d (pre Mod. 268)	6"	DTD 625A	C	
28M 10287	AGS2001/B1	Nut	1	-	C	
28M 10288	AGS2001/C1	Nut	2	-	C	
28M 10327	AGS2002/B1	Nut	4	-	C	
28M 799	AGS 807/F	Nut	2	-	C	
28M 12296	SP 15/C	Washer	2	-	C	
28M 13889	SP 47/C	Washer. spring	2	-	C	